



**CONTROL PROGRAM**  
for biological products  
**EXAMPLE**



# ORNAMENTALS

CUTTINGS AND PLUG PLANTS		AFTER POTTING					
<b>CONTROL OF ROOT DISEASES</b>		<b>MANAGEMENT OF STRESS FACTORS, PROMOTING NUTRIENT CYCLING</b>		<b>GREY MOULD</b> <i>(Botrytis)</i>	<b>CONTROLLING ROOT DISEASES</b>	<b>MANAGEMENT OF STRESS FACTORS, PROMOTING NUTRIENT CYCLING</b>	
<b>LALSTOP® G46 WG</b>		<b>LALSTIM® OSMO</b>		<b>LALSTOP® G46 WG</b>	<b>MYCOSTOP®</b> <i>Fusarium, Pythium</i>	<b>LALSTOP® G46 WG</b> <i>Pythium, Fusarium, Rhizoctonia, Phytophthora</i>	<b>LALSTIM® OSMO</b>
Dipping cuttings/plug plants before potting	Mixing into the growth substrate or drenching seedlings/plug plants	First treatment 24h before stress conditions	First application at potting, repeat at intervals of 3 weeks	First application at potting, repeat at intervals of 4–6 weeks		First treatment 24h before stress conditions	
<b>DIPPING</b> <sup>1)</sup> 0,05 % solution (10 g/ 20 l water)	<b>MIXING INTO SUBSTRATE</b> 20–50 g/m <sup>3</sup> <b>DRENCHING</b> <sup>3)</sup> 0,5–1 g/m <sup>2</sup>	<b>FOLIAR SPRAY</b> <sup>2)</sup> 6 g/l	<b>FOLIAR SPRAYING</b> <sup>2)</sup> 250–500 g/ha (Spraying volume 500–2000 l/ha)	<b>DRENCHING OR SUBIRRIGATION</b> <sup>3)</sup> 5–8 g/1000 plants	<b>DRENCHING OR EBB AND FLOW</b> <sup>3)</sup> Determined by pot size, 2–50 g/1000 plants	<b>FOLIAR SPRAY</b> <sup>2)</sup> 6 g/l	

**1)** Submerge the seedlings into **LALSTOP® G46 WG** -solution so that the roots and the growing point are completely submerged, no need for soaking.

**2)** **LALSTOP® G46 WG** and **LALSTIM® OSMO** can be sprayed in the same mixture.

**3)** The amount of water can be adjusted according to the humidity of the substrate and the need for irrigation.

For more information on compatibility, contact the manufacturer and distributors: [www.verdera.fi](http://www.verdera.fi)

Always use plant protection products in a safe manner, in accordance with the label instructions.



LALLEMAND PLANT CARE